



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater - Strawberry Lemonade Riptide

Sample ID: 2602NBL0339.0953

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 02/24/2026

Completed: 03/04/2026

Expires: 03/04/2027

External Lot ID: MWSL60LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	02/28/2026	Complete
Residual Solvents	03/03/2026	Complete
Microbials	02/25/2026	Complete
Mycotoxins	02/27/2026	Complete
Pesticides	02/27/2026	Complete
Heavy Metals	02/25/2026	Complete
Foreign Matter	02/23/2026	Not Detected

Cannabinoids

Complete

65.955 mg/unit

Total THC

0.0181%

Δ^9 -THC

ND

Total CBD

65.955 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9133	1.370	ND	ND	ND
9R-HHC	0.9133	1.370	ND	ND	ND
(6aR,9S)-d10-THC	0.9133	1.370	ND	ND	ND
9S-HHC	0.9133	1.370	ND	ND	ND
CBC	0.9133	1.370	ND	ND	ND
CBCa	0.9133	1.370	ND	ND	ND
CBD	0.9133	1.370	ND	ND	ND
CBDa	0.9133	1.370	ND	ND	ND
CBDV	0.9133	1.370	ND	ND	ND
CBDVa	0.9133	1.370	ND	ND	ND
CBG	0.9133	1.370	ND	ND	ND
CBGa	0.9133	1.370	ND	ND	ND
CBN	0.9133	1.370	ND	ND	ND
CBNa	0.9133	1.370	ND	ND	ND
Δ^8 -THC	0.9133	1.370	ND	ND	ND
Δ^9 -THC	0.9133	1.370	65.955	0.18631	0.018
THCa	0.9133	1.370	ND	ND	ND
THCp	0.9133	1.370	ND	ND	ND
THCV	0.9133	1.370	ND	ND	ND
THCVa	0.9133	1.370	ND	ND	ND
Total THC			65.955	0.18631	0.018
Total CBD			ND	ND	ND
Total			65.955	0.18631	0.018

Date Tested: 02/28/2026

Density: 1 mL = 1.032 g, Unit Mass: 365.328 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater - Strawberry Lemonade Riptide

Sample ID: 2602NBL0339.0953

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 02/24/2026

Completed: 03/04/2026

Expires: 03/04/2027

External Lot ID: MWSL60LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.091	0.026		ND	Tested	Fludioxonil	0.087	0.026		ND	Tested
Acephate	0.087	0.026		ND	Tested	Hexythiazox	0.087	0.026		ND	Tested
Acequinocyl	0.087	0.026		ND	Tested	Imazalil	0.087	0.026		ND	Tested
Acetamiprid	0.087	0.026		ND	Tested	Imidacloprid	0.087	0.026		ND	Tested
Aldicarb	0.087	0.026		ND	Tested	Kresoxim Methyl	0.087	0.026		ND	Tested
Azoxystrobin	0.087	0.026		ND	Tested	Malathion	0.087	0.026		ND	Tested
Bifenazate	0.087	0.026		ND	Tested	Metalaxyl	0.087	0.026		ND	Tested
Bifenthrin	0.087	0.026		ND	Tested	Methiocarb	0.087	0.026		ND	Tested
Boscalid	0.087	0.026		ND	Tested	Methomyl	0.087	0.026		ND	Tested
Captan	0.611	0.183		ND	Tested	Mevinphos	0.087	0.026		ND	Tested
Carbaryl	0.087	0.026		ND	Tested	Myclobutanil	0.087	0.026		ND	Tested
Carbofuran	0.087	0.026		ND	Tested	Naled	0.218	0.066		ND	Tested
Chlorantraniliprole	0.087	0.026		ND	Tested	Oxamyl	0.087	0.026		ND	Tested
Chlorfenapyr	0.070	0.026		ND	Tested	Paclobutrazol	0.087	0.026		ND	Tested
Chloromequat	0.087	0.026		ND	Tested	Methyl Parathion	0.070	0.026		ND	Tested
Chlorpyrifos	0.087	0.026		ND	Tested	Pentachloronitrobenzene	0.070	0.026		ND	Tested
Clofentezine	0.087	0.026		ND	Tested	Permethrins	0.087	0.026		ND	Tested
Coumaphos	0.087	0.026		ND	Tested	Phosmet	0.087	0.026		ND	Tested
Cyfluthrin	0.436	0.131		ND	Tested	Piperonyl Butoxide	0.087	0.026		ND	Tested
Cypermethrin	0.436	0.131		ND	Tested	Prallethrin	0.087	0.026		ND	Tested
Daminozide	0.873	0.262		ND	Tested	Propiconazole	0.087	0.026		ND	Tested
Diazinon	0.087	0.026		ND	Tested	Propoxur	0.087	0.026		ND	Tested
Dichlorvos	0.044	0.014		ND	Tested	Pyrethrins	0.436	0.131		ND	Tested
Dimethoate	0.087	0.026		ND	Tested	Pyridaben	0.087	0.026		ND	Tested
Dimethomorph	0.084	0.026		ND	Tested	Spinetoram	0.087	0.026		ND	Tested
Ethoprophos	0.087	0.026		ND	Tested	Spinosad	0.089	0.026		ND	Tested
Etofenprox	0.087	0.026		ND	Tested	Spiromesifen	0.087	0.026		ND	Tested
Etoxazole	0.087	0.026		ND	Tested	Spirotetramat	0.087	0.026		ND	Tested
Fenhexamid	0.087	0.026		ND	Tested	Spiroxamine	0.087	0.026		ND	Tested
Fenoxycarb	0.087	0.026		ND	Tested	Tebuconazole	0.087	0.026		ND	Tested
Fenpyroximate	0.087	0.026		ND	Tested	Thiacloprid	0.087	0.026		ND	Tested
Fipronil	0.087	0.026		ND	Tested	Thiamethoxam	0.087	0.026		ND	Tested
Flonicamid	0.087	0.026		ND	Tested	Trifloxystrobin	0.087	0.026		ND	Tested

Date Tested: 02/27/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater - Strawberry Lemonade Riptide

Sample ID: 2602NBL0339.0953

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 02/24/2026

Completed: 03/04/2026

Expires: 03/04/2027

External Lot ID: MWSL60LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	40.000	ND	Tested
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	10	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 02/25/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	4		ND	Tested
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	17		ND	Tested

Date Tested: 02/27/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.243		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 02/25/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater - Strawberry Lemonade Riptide

Sample ID: 2602NBL0339.0953

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 02/24/2026

Completed: 03/04/2026

Expires: 03/04/2027

External Lot ID: MWSL60LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		ND	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
1,1-Dichloroethene	0.600	2.000		ND	Tested
1,2-Dichloroethane	0.600	2.000		ND	Tested
Ethylene Oxide	1.500	5.000		ND	Tested
Acetonitrile	6.000	20.000		ND	Tested
Chloroform	0.600	2.000		ND	Tested
Ethyl Ether	75.000	250.000		ND	Tested
Dichloromethane	30.000	100.000		ND	Tested
Trichloroethene	6.000	20.000		ND	Tested
2,3-Butanedione	30.000	100.000		ND	Tested

Date Tested: 03/03/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000