



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater - Strawberry Lemonade 30mg

Sample ID: 2602NBL0373.1045

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL30LOT02

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	03/05/2026	Complete
Residual Solvents	03/04/2026	Complete
Microbials	03/03/2026	Complete
Mycotoxins	03/06/2026	Complete
Pesticides	03/06/2026	Complete
Heavy Metals	03/04/2026	Complete
Foreign Matter	02/27/2026	Not Detected

Cannabinoids

Complete

32.813 mg/unit

Total THC

0.0089%

Δ^9 -THC

ND

Total CBD

32.813 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9169	1.375	ND	ND	ND
9R-HHC	0.9169	1.375	ND	ND	ND
(6aR,9S)-d10-THC	0.9169	1.375	ND	ND	ND
9S-HHC	0.9169	1.375	ND	ND	ND
CBC	0.9169	1.375	ND	ND	ND
CBCa	0.9169	1.375	ND	ND	ND
CBD	0.9169	1.375	ND	ND	ND
CBDa	0.9169	1.375	ND	ND	ND
CBDV	0.9169	1.375	ND	ND	ND
CBDVa	0.9169	1.375	ND	ND	ND
CBG	0.9169	1.375	ND	ND	ND
CBGa	0.9169	1.375	ND	ND	ND
CBN	0.9169	1.375	ND	ND	ND
CBNa	0.9169	1.375	ND	ND	ND
Δ^8 -THC	0.9169	1.375	ND	ND	ND
Δ^9 -THC	0.9169	1.375	32.813	0.09269	0.009
THCa	0.9169	1.375	ND	ND	ND
THCp	0.9169	1.375	ND	ND	ND
THCV	0.9169	1.375	ND	ND	ND
THCVa	0.9169	1.375	ND	ND	ND
Total THC			32.813	0.09269	0.009
Total CBD			ND	ND	ND
Total			32.813	0.09269	0.009

Date Tested: 03/05/2026

Density: 1 mL = 1.036 g, Unit Mass: 366.744 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater - Strawberry Lemonade 30mg

Sample ID: 2602NBL0373.1045

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL30LOT02

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.099	0.029		ND	Tested	Fludioxonil	0.096	0.029		ND	Tested
Acephate	0.096	0.029		ND	Tested	Hexythiazox	0.096	0.029		ND	Tested
Acequinocyl	0.096	0.029		ND	Tested	Imazalil	0.096	0.029		ND	Tested
Acetamiprid	0.096	0.029		ND	Tested	Imidacloprid	0.096	0.029		ND	Tested
Aldicarb	0.096	0.029		ND	Tested	Kresoxim Methyl	0.096	0.029		ND	Tested
Azoxystrobin	0.096	0.029		ND	Tested	Malathion	0.096	0.029		ND	Tested
Bifenazate	0.096	0.029		ND	Tested	Metalaxyl	0.096	0.029		ND	Tested
Bifenthrin	0.096	0.029		ND	Tested	Methiocarb	0.096	0.029		ND	Tested
Boscalid	0.096	0.029		ND	Tested	Methomyl	0.096	0.029		ND	Tested
Captan	0.669	0.201		ND	Tested	Mevinphos	0.096	0.029		ND	Tested
Carbaryl	0.096	0.029		ND	Tested	Myclobutanil	0.096	0.029		ND	Tested
Carbofuran	0.096	0.029		ND	Tested	Naled	0.239	0.073		ND	Tested
Chlorantraniliprole	0.096	0.029		ND	Tested	Oxamyl	0.096	0.029		ND	Tested
Chlorfenapyr	0.076	0.029		ND	Tested	Paclobutrazol	0.096	0.029		ND	Tested
Chloromequat	0.096	0.029		ND	Tested	Methyl Parathion	0.076	0.029		ND	Tested
Chlorpyrifos	0.096	0.029		ND	Tested	Pentachloronitrobenzene	0.076	0.029		ND	Tested
Clofentezine	0.096	0.029		ND	Tested	Permethrins	0.096	0.029		ND	Tested
Coumaphos	0.096	0.029		ND	Tested	Phosmet	0.096	0.029		ND	Tested
Cyfluthrin	0.478	0.143		ND	Tested	Piperonyl Butoxide	0.096	0.029		ND	Tested
Cypermethrin	0.478	0.143		ND	Tested	Prallethrin	0.096	0.029		ND	Tested
Daminozide	0.956	0.287		ND	Tested	Propiconazole	0.096	0.029		ND	Tested
Diazinon	0.096	0.029		ND	Tested	Propoxur	0.096	0.029		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested	Pyrethrins	0.478	0.143		ND	Tested
Dimethoate	0.096	0.029		ND	Tested	Pyridaben	0.096	0.029		ND	Tested
Dimethomorph	0.092	0.029		ND	Tested	Spinetoram	0.096	0.029		ND	Tested
Ethoprophos	0.096	0.029		ND	Tested	Spinosad	0.098	0.029		ND	Tested
Etofenprox	0.096	0.029		ND	Tested	Spiromesifen	0.096	0.029		ND	Tested
Etoxazole	0.096	0.029		ND	Tested	Spirotetramat	0.096	0.029		ND	Tested
Fenhexamid	0.096	0.029		ND	Tested	Spiroxamine	0.096	0.029		ND	Tested
Fenoxycarb	0.096	0.029		ND	Tested	Tebuconazole	0.096	0.029		ND	Tested
Fenpyroximate	0.096	0.029		ND	Tested	Thiacloprid	0.096	0.029		ND	Tested
Fipronil	0.096	0.029		ND	Tested	Thiamethoxam	0.096	0.029		ND	Tested
Flonicamid	0.096	0.029		ND	Tested	Trifloxystrobin	0.096	0.029		ND	Tested

Date Tested: 03/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater - Strawberry Lemonade 30mg

Sample ID: 2602NBL0373.1045

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL30LOT02

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 03/03/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 03/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.097		ND	Tested
Cadmium	0.048	0.097		ND	Tested
Lead	0.048	0.097		ND	Tested
Mercury	0.048	0.097		ND	Tested
Palladium	0.048	0.242		ND	Tested
Selenium	0.048	0.097		ND	Tested

Date Tested: 03/04/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater - Strawberry Lemonade 30mg

Sample ID: 2602NBL0373.1045

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL30LOT02

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	66.964	223.214		ND	Tested
Benzene	0.268	0.893		ND	Tested
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Ethanol	66.964	223.214		412.458	Tested
Ethyl Acetate	66.964	223.214		ND	Tested
Heptane	66.964	223.214		ND	Tested
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Methanol	26.786	89.286		ND	Tested
Isopentane	61.607	205.357		ND	Tested
n-Pentane	26.786	89.286		ND	Tested
Neopentane	61.607	205.357		ND	Tested
2-Propanol	66.964	223.214		ND	Tested
Propane	267.857	892.857		ND	Tested
Toluene	0.134	0.446		ND	Tested
Ethylbenzene	0.134	0.446		ND	Tested
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
1,1-Dichloroethene	0.536	1.786		ND	Tested
1,2-Dichloroethane	0.536	1.786		ND	Tested
Ethylene Oxide	1.339	4.464		ND	Tested
Acetonitrile	5.357	17.857		ND	Tested
Chloroform	0.536	1.786		ND	Tested
Ethyl Ether	66.964	223.214		ND	Tested
Dichloromethane	26.786	89.286		ND	Tested
Trichloroethene	5.357	17.857		ND	Tested
2,3-Butanedione	26.786	89.286		ND	Tested

Date Tested: 03/04/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000