



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

Moonwater - Strawberry Lemonade 10mg

Sample ID: 2602NBL0373.1046

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL10LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co



Summary

Test	Date Tested	Result
Cannabinoids	03/05/2026	Complete
Residual Solvents	03/04/2026	Complete
Microbials	03/03/2026	Complete
Mycotoxins	03/06/2026	Complete
Pesticides	03/06/2026	Complete
Heavy Metals	03/04/2026	Complete
Foreign Matter	02/27/2026	Not Detected

Cannabinoids

Complete

9.444 mg/unit

Total THC

0.0026%

Δ^9 -THC

ND

Total CBD

9.444 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9107	1.366	ND	ND	ND
9R-HHC	0.9107	1.366	ND	ND	ND
(6aR,9S)-d10-THC	0.9107	1.366	ND	ND	ND
9S-HHC	0.9107	1.366	ND	ND	ND
CBC	0.9107	1.366	ND	ND	ND
CBCa	0.9107	1.366	ND	ND	ND
CBD	0.9107	1.366	ND	ND	ND
CBDa	0.9107	1.366	ND	ND	ND
CBDV	0.9107	1.366	ND	ND	ND
CBDVa	0.9107	1.366	ND	ND	ND
CBG	0.9107	1.366	ND	ND	ND
CBGa	0.9107	1.366	ND	ND	ND
CBN	0.9107	1.366	ND	ND	ND
CBNa	0.9107	1.366	ND	ND	ND
Δ^8 -THC	0.9107	1.366	ND	ND	ND
Δ^9 -THC	0.9107	1.366	9.444	0.02668	0.003
THCa	0.9107	1.366	ND	ND	ND
THCp	0.9107	1.366	ND	ND	ND
THCV	0.9107	1.366	ND	ND	ND
THCVa	0.9107	1.366	ND	ND	ND
Total THC			9.444	0.02668	0.003
Total CBD			ND	ND	ND
Total			9.444	0.02668	0.003

Date Tested: 03/05/2026

Density: 1 mL = 1.029 g, Unit Mass: 364.266 g, 1 Unit = 12 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Moonwater - Strawberry Lemonade 10mg

Sample ID: 2602NBL0373.1046

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL10LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.100	0.029		ND	Tested	Fludioxonil	0.096	0.029		ND	Tested
Acephate	0.096	0.029		ND	Tested	Hexythiazox	0.096	0.029		ND	Tested
Acequinocyl	0.096	0.029		ND	Tested	Imazalil	0.096	0.029		ND	Tested
Acetamiprid	0.096	0.029		ND	Tested	Imidacloprid	0.096	0.029		ND	Tested
Aldicarb	0.096	0.029		ND	Tested	Kresoxim Methyl	0.096	0.029		ND	Tested
Azoxystrobin	0.096	0.029		ND	Tested	Malathion	0.096	0.029		ND	Tested
Bifenazate	0.096	0.029		ND	Tested	Metalaxyl	0.096	0.029		ND	Tested
Bifenthrin	0.096	0.029		ND	Tested	Methiocarb	0.096	0.029		ND	Tested
Boscalid	0.096	0.029		ND	Tested	Methomyl	0.096	0.029		ND	Tested
Captan	0.672	0.202		ND	Tested	Mevinphos	0.096	0.029		ND	Tested
Carbaryl	0.096	0.029		ND	Tested	Myclobutanil	0.096	0.029		ND	Tested
Carbofuran	0.096	0.029		ND	Tested	Naled	0.240	0.073		ND	Tested
Chlorantraniliprole	0.096	0.029		ND	Tested	Oxamyl	0.096	0.029		ND	Tested
Chlorfenapyr	0.077	0.029		ND	Tested	Paclobutrazol	0.096	0.029		ND	Tested
Chloromequat	0.096	0.029		ND	Tested	Methyl Parathion	0.077	0.029		ND	Tested
Chlorpyrifos	0.096	0.029		ND	Tested	Pentachloronitrobenzene	0.077	0.029		ND	Tested
Clofentezine	0.096	0.029		ND	Tested	Permethrins	0.096	0.029		ND	Tested
Coumaphos	0.096	0.029		ND	Tested	Phosmet	0.096	0.029		ND	Tested
Cyfluthrin	0.480	0.144		ND	Tested	Piperonyl Butoxide	0.096	0.029		ND	Tested
Cypermethrin	0.480	0.144		ND	Tested	Prallethrin	0.096	0.029		ND	Tested
Daminozide	0.960	0.288		ND	Tested	Propiconazole	0.096	0.029		ND	Tested
Diazinon	0.096	0.029		ND	Tested	Propoxur	0.096	0.029		ND	Tested
Dichlorvos	0.048	0.015		ND	Tested	Pyrethrins	0.480	0.144		ND	Tested
Dimethoate	0.096	0.029		ND	Tested	Pyridaben	0.096	0.029		ND	Tested
Dimethomorph	0.092	0.029		ND	Tested	Spinetoram	0.096	0.029		ND	Tested
Ethoprophos	0.096	0.029		ND	Tested	Spinosad	0.098	0.029		ND	Tested
Etofenprox	0.096	0.029		ND	Tested	Spiromesifen	0.096	0.029		ND	Tested
Etoxazole	0.096	0.029		ND	Tested	Spirotetramat	0.096	0.029		ND	Tested
Fenhexamid	0.096	0.029		ND	Tested	Spiroxamine	0.096	0.029		ND	Tested
Fenoxycarb	0.096	0.029		ND	Tested	Tebuconazole	0.096	0.029		ND	Tested
Fenpyroximate	0.096	0.029		ND	Tested	Thiacloprid	0.096	0.029		ND	Tested
Fipronil	0.096	0.029		ND	Tested	Thiamethoxam	0.096	0.029		ND	Tested
Flonicamid	0.096	0.029		ND	Tested	Trifloxystrobin	0.096	0.029		ND	Tested

Date Tested: 03/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Moonwater - Strawberry Lemonade 10mg

Sample ID: 2602NBL0373.1046

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL10LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 03/03/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 03/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.092		ND	Tested
Cadmium	0.046	0.092		ND	Tested
Lead	0.046	0.092		ND	Tested
Mercury	0.046	0.092		ND	Tested
Palladium	0.046	0.229		ND	Tested
Selenium	0.046	0.092		ND	Tested

Date Tested: 03/04/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Moonwater - Strawberry Lemonade 10mg

Sample ID: 2602NBL0373.1046

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 03/02/2026

Completed: 03/06/2026

Expires: 03/06/2027

External Lot ID: MWSL10LOT01

Batch#:

Client

Upstate Beverage Consultants

Lic. # SC000206-20260113

6 Whitlee Court Greenville, SC 29607

(864) 434-9011 billy@upstatebev.co

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	75.000	250.000		ND	Tested
Benzene	0.300	1.000		ND	Tested
n-Butane	69.000	230.000		ND	Tested
Isobutane	69.000	230.000		ND	Tested
Ethanol	75.000	250.000		466.649	Tested
Ethyl Acetate	75.000	250.000		ND	Tested
Heptane	75.000	250.000		ND	Tested
n-Hexane	1.500	5.000		ND	Tested
2,2-Dimethylbutane	1.500	5.000		ND	Tested
3-Methylpentane	1.500	5.000		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	Tested
Methanol	30.000	100.000		ND	Tested
Isopentane	69.000	230.000		ND	Tested
n-Pentane	30.000	100.000		ND	Tested
Neopentane	69.000	230.000		ND	Tested
2-Propanol	75.000	250.000		ND	Tested
Propane	300.000	1000.000		ND	Tested
Toluene	0.150	0.500		ND	Tested
Ethylbenzene	0.150	0.500		ND	Tested
m/p-Xylene	0.150	0.500		ND	Tested
o-Xylene	0.150	0.500		ND	Tested
1,1-Dichloroethene	0.600	2.000		ND	Tested
1,2-Dichloroethane	0.600	2.000		ND	Tested
Ethylene Oxide	1.500	5.000		ND	Tested
Acetonitrile	6.000	20.000		ND	Tested
Chloroform	0.600	2.000		ND	Tested
Ethyl Ether	75.000	250.000		ND	Tested
Dichloromethane	30.000	100.000		ND	Tested
Trichloroethene	6.000	20.000		ND	Tested
2,3-Butanedione	30.000	100.000		ND	Tested

Date Tested: 03/04/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000